

L Number	Hits	Search Text	DB	Time stamp
3	102	flow same meter same water same foam	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 13:17
4	0	(flow same meter same water same foam) and (flow near ratio)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 13:18
5	60	(flow same meter same water same foam) and ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 13:18
6	15	((flow same meter same water same foam) and ratio) and fire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 14:47
7	598	(test or testing) near (flow near rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 14:48
8	17	((test or testing) near (flow near rate)) and (flow near ratio)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 14:50
9	613	(flow near meter) and (flow near ratio)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 14:51
10	363	((flow near meter) and (flow near ratio)) and (mixes or mixed or mixing)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 14:52
11	0	((flow near meter) and (flow near ratio)) and (mixes or mixed or mixing)) and (fire near suppression)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 14:52
12	83	((flow near meter) and (flow near ratio)) and (mixes or mixed or mixing)) and fire	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/01/07 14:53